

Evora.

PREMIUM PERFORMANCE. SMART VALUE.

Evora.

EVORA, available through GRASS ZA, delivers a versatile range of premium hinges, runners, and cabinet accessories designed for the mid-to-high-end market. Combining dependable performance, refined functionality, and exceptional value, EVORA provides an intelligent alternative for customers seeking quality inspired hardware without the premium investment associated with top-tier GRASS solutions.

EVORA is designed to strike the ideal balance between performance, quality, and affordability. The range offers a comprehensive selection of hinges, drawer runners, and complementary accessories, providing reliable solutions for modern kitchens, cabinetry, wardrobes, and interior applications where both functionality and presentation matter.

With a focus on consistent performance and practical design, EVORA gives manufacturers, designers, and installers access to dependable hardware across a broad range of applications. It is a smart choice for projects requiring premium-level functionality and lasting quality, while maintaining a competitive overall project cost.



Scan the QR to find out more about
Evora available through GRASS ZA.

PREMIUM PERFORMANCE. SMART VALUE.



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA HINGE CLICK-ON SCREW IN	FULL OVERLAY SOFT-CLOSE 110°	E36A07	200
EVORA HINGE CLICK-ON DOWEL	FULL OVERLAY SOFT-CLOSE 110°	E36A07N	200

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA HINGE CLICK-ON SCREW IN	HALF OVERLAY SOFT-CLOSE 110°	E36A03	200
EVORA HINGE CLICK-ON DOWEL	HALF OVERLAY SOFT-CLOSE 110°	E36A03N	200

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA HINGE CLICK-ON SCREW IN	INSET SOFT-CLOSE 110°	E36A01	200
EVORA HINGE CLICK-ON DOWEL	INSET SOFT-CLOSE 110°	E36A01N	200

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA HINGE CLICK-ON SCREW IN	INSET SOFT-CLOSE 45°	E12T02	100
EVORA HINGE CLICK-ON DOWEL	INSET SOFT-CLOSE 45°	E12T02N	100

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA HINGE CLICK-ON SCREW IN	INSET POST HINGE SOFT-CLOSE 110°	E1203	100
EVORA HINGE CLICK-ON DOWEL	INSET POST HINGE SOFT-CLOSE 110°	E1203N	100

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options

EVORA CLICK-ON HINGE SOFT CLOSE



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA HINGE CLICK-ON SCREW IN	FULL OVERLAY SOFT-CLOSE 165°	E2016	100
EVORA HINGE CLICK-ON DOWEL	FULL OVERLAY SOFT-CLOSE 165°	E2016N	100

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA M/PLATE CLICK-ON	SCREW FIX - 0 MM	C31H0-4HOLE	500



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA M/PLATE CLICK-ON	10 MM MOUNTED EURO SCREW - 0 MM	C31H0D-10	500



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA M/PLATE CLICK-ON	13 MM MOUNTED EURO SCREW - 0 MM	C31H0D-13	500



DESCRIPTION	APPLICATION	CODE	PACK SIZE
EVORA M/PLATE CLICK-ON	SCREW FIX - ID	C31CAMH0	500

TIPMATIC ACTIVATOR/SOFT-CLOSE FOR DOORS



DESCRIPTION	CODE	FINISH
TIPMATIC ACTIVATOR/SOFT-CLOSE 110°	OTMSC/H	BLACK
NEXIS TIPMATIC UNSPRUNG HINGE	F015072724236	NICKEL

FEATURES:

- Mechanical operation
- Allows for handle free doors with soft-close action
- Easy fitting
- Use for doors up to 2200 MM in height and 600 MM in width
- Use with GRASS Nexis Tipmatic hinge
- Max door weight is 20 KG





DESCRIPTION	CODE	SIZE	FINISH
EVORA UNDERMOUNT FULL EXTENSION 35 KG	OUM302/350	350 MM	10
EVORA UNDERMOUNT FULL EXTENSION 35 KG	OUM302/400	400 MM	10
EVORA UNDERMOUNT FULL EXTENSION 35 KG	OUM302/450	450 MM	10
EVORA UNDERMOUNT FULL EXTENSION 35 KG	OUM302/500	500 MM	10

FEATURES:

Full extension slide
 Fully synchronised running
 35 KG weight capacity
 Soft-close
 Same box cut as Dynapro / Dynamoov
 2D adjustment





DESCRIPTION	CODE	SIZE	PACK SIZE	FINISH
EVORA BALL BEARING FULL EXTENSION 45 KG	MBBF / 250	250 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION 45 KG	MBBF / 300	300 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION 45 KG	MBBF / 350	350 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION 45 KG	MBBF / 400	400 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION 45 KG	MBBF / 450	450 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION 45 KG	MBBF / 500	500 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION 45 KG	MBBF / 550	550 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION 45 KG	MBBF / 600	600 MM	10	ZINC



DESCRIPTION	CODE	SIZE	PACK SIZE	FINISH
EVORA BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG	MBBF/350SC	350 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG	MBBF/400SC	400 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG	MBBF/450SC	450 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG	MBBF/500SC	500 MM	10	ZINC
EVORA BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG	MBBF/550SC	550 MM	10	ZINC



DESCRIPTION	CODE	SIZE	FINISH
GOLA HANDLE SLIM C ALU	SNA211CS	49 MM X 3 M	ALU
GOLA HANDLE SLIM L ALU	SNA211LS	40 MM X 3 M	ALU
GOLA HANDLE SLIM C BLACK	SNA211CB	49 MM X 3 M	BLACK
GOLA HANDLE SLIM L BLACK	SNA211LB	40 MM X 3 M	BLACK
GOLA HANDLE SLIM C WHITE	SNA211CW	49 MM X 3 M	WHITE
GOLA HANDLE SLIM L WHITE	SNA211LW	40 MM X 3 M	WHITE
FIXING BRACKET SLIM	SNA/F	-	STEEL

FEATURES:

Allows for more height spacing inside the drawers
 Square cut out
 Makes vertical applications possible
 End caps available for both options
 More accurate cutting for mitre joints
 Straight edge profile gives more elegant look

STANDARD:




Custom: Other colours available on request, minimum order of 10 lengths.





DESCRIPTION	CODE	SIZE	FINISH
COAT RAIL OVAL	B/RAIL	15 MM X 30 MM X 2500 MM	CHROME
ROD HOLDER	B/ROD HOLDER	15 MM X 45 MM	CHROME
CENTRE SUPPORT	B/HOLDER SUPPORT	15 MM X 70 MM	CHROME
COAT RAIL OVAL BLACK	B/RAIL BLK	15 MM X 30 MM X 3000 MM	BLACK
ROD HOLDER BLACK	B/ROD HOLDER BLK	15 MM X 45 MM	BLACK
CENTRE SUPPORT BLACK	B/HOLDER SUPPORT BLK	15 MM X 70 MM	BLACK
ROD HOLDER BLACK B/FIX	B/ROD HOLDER BLK B/FIX	15 MM X 65 MM	BLACK
HANGING ROD HOLDER (PAIR)	VW009_BLK	15 MM X 110 MM	BLACK
COAT RAIL OVAL WHITE	B/RAIL WHT	15 MM X 30 MM X 3000MM	WHITE
ROD HOLDER WHITE	B/ROD HOLDER WHT	15 MM X 45 MM	WHITE
CENTRE SUPPORT WHITE	B/HOLDER SUPPORT WHT	15 MM X 70 MM	WHITE
COAT RAIL OVAL BEIGE	B/RAIL BEIGE	15 MM X 30 MM X 3000MM	BEIGE
ROD HOLDER BEIGE	B/ROD HOLDER BEIGE	15 MM X 45 MM	BEIGE
CENTRE SUPPORT BEIGE	B/HOLDER SUPPORT BEIGE	15 MM X 70 MM	BEIGE
COAT RAIL OVAL GRAPHITE	B/RAIL GRP	15 MM X 30 MM X 3000MM	GRAPHITE
ROD HOLDER GRAPHITE	B/ROD HOLDER GRP	15 MM X 45 MM	GRAPHITE
CENTRE SUPPORT GRAPHITE	B/HOLDER SUPPORT GRP	15 MM X 70 MM	GRAPHITE




DESCRIPTION	CODE	SIZE	FINISH
OVAL RAIL	B/RAIL ALU	19 MM X 34 MM X 3000 MM	ALU
HANG RAIL BRACKET	T128W	20 MM X 35 MM	WHITE



EVORA ACCESSORIES



DESCRIPTION	CODE	SIZE	FINISH
CHROME WIRE BASKET	V/B400C	400 MM CARCASS	CHROME
CHROME WIRE BASKET	V/B450C	450 MM CARCASS	CHROME
CHROME WIRE BASKET	V/B500C	500 MM CARCASS	CHROME
CHROME WIRE BASKET	V/B600C	600 MM CARCASS	CHROME




DESCRIPTION	CODE	SIZE	FINISH
CURVED WINE BOTTLE RACK	WR240D	400 MM	CHROME
CURVED WINE BOTTLE RACK	WR250D	500 MM	CHROME
CURVED WINE BOTTLE RACK	WR260D	600 MM	CHROME



DESCRIPTION	CODE	SIZE	FINISH
BRUSHED ALU KICK PLATE 100 MM X 4 M	AKP 100 BRU	100 MM	BRUSHED ALU
BRUSHED ALU KICK PLATE 150 MM X 4 M	AKP 150 BRU	150 MM	BRUSHED ALU
BRUSHED ALU KICK PLATE 100 MM FLEXIBLE CORNER	AKP 100 BRU FLEX CNR	100 MM	BRUSHED ALU
BRUSHED ALU KICK PLATE 150 MM FLEXIBLE CORNER	AKP 150 BRU FLEX CNR	150 MM	BRUSHED ALU
BRUSHED ALU KICK PLATE 100 MM 90 DEG FIXED CORNER	AKP 100 BRU 90 DEG CNR	100 MM	BRUSHED ALU
BRUSHED ALU KICK PLATE 150 MM 90 DEG FIXED CORNER	AKP 150 BRU 90 DEG CNR	150 MM	BRUSHED ALU
BLACK KICK PLATE 100 MM X 4 M	AKP 100 BLK	100 MM	BLACK
BLACK KICK PLATE 150 MM X 4 M	AKP 150 BLK	150 MM	BLACK
BLACK KICK PLATE 100 MM FLEXIBLE CORNER	AKP 100 BLK FLEX CNR	100 MM	BLACK
BLACK KICK PLATE 150 MM FLEXIBLE CORNER	AKP 150 BLK FLEX CNR	150 MM	BLACK
BLACK KICK PLATE 100 MM FIXED CORNER	AKP 100 BLK 90 FIXED CNR	100 MM	BLACK
BLACK KICK PLATE 150 MM FIXED CORNER	AKP 150 BLK 90 FIXED CNR	150 MM	BLACK


EVORA TRAP COVER



DESCRIPTION	CODE	SIZE (W X D X H)	FINISH
EVORA TRAP COVER	TRAP/SHELF COVER WHITE	240 MM X 120 MM X 83 MM	WHITE
EVORA TRAP COVER	TRAP/SHELF COVER GREY	240 MM X 120 MM X 83 MM	GREY



DESCRIPTION	CODE	SIZE (W X H)	FINISH
EVORA SPICE TRAY	OST/450GRP	387 MM X 480 MM	GRAPHITE
EVORA SPICE TRAY	OST/450WH	387 MM X 480 MM	WHITE
EVORA SPICE TRAY	OST/500GRP	437 MM X 480 MM	GRAPHITE
EVORA SPICE TRAY	OST/500WH	437 MM X 480 MM	WHITE
EVORA SPICE TRAY	OST/600GRP	537 MM X 480 MM	GRAPHITE
EVORA SPICE TRAY	OST/600WH	537 MM X 480 MM	WHITE



DESCRIPTION	CODE	FINISH
LIVARO LIFT LIGHT	E68L	NICKEL
LIVARO LIFT MEDIUM	E68M	NICKEL
LIVARO LIFT HEAVY	E68H	NICKEL



DESCRIPTION	CODE	SIZE	FINISH
BROOM CLIP	BROOM CLIP	20 - 30 MM	BLACK



DESCRIPTION	CODE	SIZE	FINISH
TOP CABINET SUSPENSION FITTING	F155145207210	130 KG CAPACITY	STEEL
TOP CABINET SUSPENSION RAIL	F155145236513	125 MM	STEEL



DESCRIPTION	CODE	SIZE	FINISH
STICK ON DOOR BUMPER	F146073835253	7 MM	GRAPHITE
STICK ON DOOR BUMPER	F146073836256	10 MM	WHITE
DOOR BUMPER DRILL IN	630.000.03.0850	5 MM	GRAPHITE

PREMIUM PERFORMANCE. SMART VALUE.

Evora.

www.grass-za.co.za

GRASS ZA (PTY) LTD.

2 Graph Avenue
Montague Gardens
Cape Town 7441,
South Africa

T +27 21 529 8040
F +27 21 529 8041
info@grass.co.za

Unit 6, Northlands Retail Park
Epsom Road, North Riding
Johannesburg 2169,
South Africa

T +27 11 801 9500

SCAN THE QR TO
FIND OUT MORE
ABOUT EVORA

