

Yenza.

RELIABLE PERFORMANCE. SMARTER VALUE.

Yenza.

YENZA, available through GRASS ZA, is a purpose-built contract range of hinges, runners, and cabinet hardware developed for high-volume projects where quality, reliability, and cost efficiency are essential. Designed to deliver consistent performance at scale, YENZA provides practical hardware solutions for demanding commercial, residential, and contract applications.


YENZA focuses on delivering the right balance of dependable quality and competitive pricing. The range is engineered for projects where large quantities of hardware are required, making it an ideal choice for developments, contract manufacturing, housing projects, and other volume-driven applications.

From reliable hinges to durable drawer runners, YENZA offers straightforward, efficient solutions that support streamlined production without compromising the standards expected from professional cabinetry. With its combination of performance, availability, and cost control, YENZA is built to make large-scale projects work smarter.



Scan the QR to find out more about
Yenza available through GRASS ZA.

RELIABLE PERFORMANCE. SMARTER VALUE.



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	FULL OVERLAY SOFT-CLOSE 110°	YB0606	200
YENZA HINGE CLICK-ON DOWEL	FULL OVERLAY SOFT-CLOSE 110°	YB0606N	200

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	HALF OVERLAY SOFT-CLOSE 110°	YB0603	200
YENZA HINGE CLICK-ON DOWEL	HALF OVERLAY SOFT-CLOSE 110°	YB0603N	200

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	INSET SOFT-CLOSE 110°	YB0601	200
YENZA HINGE CLICK-ON DOWEL	INSET SOFT-CLOSE 110°	YB0601N	200

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	INSET SOFT-CLOSE 45°	YB12T02	100
YENZA HINGE CLICK-ON DOWEL	INSET SOFT-CLOSE 45°	YB 12T02N	100

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	INSET POST HINGE SOFT-CLOSE 110°	YB12T03	100
YENZA HINGE CLICK-ON DOWEL	INSET POST HINGE SOFT-CLOSE 110°	YB12T03N	100

FEATURES:

Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options


YENZA CLICK-ON HINGE SOFT CLOSE



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	FULL OVERLAY SOFT-CLOSE 165°	YB2016	100
YENZA HINGE CLICK-ON DOWEL	FULL OVERLAY SOFT-CLOSE 165°	YB2016N	100

FEATURES:


Door thickness up to 16 MM
Cup depth 11.3 MM
Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA M/PLATE CLICK-ON	SCREW FIX - 0 MM	YB50-4HOLE	500




DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA M/PLATE CLICK-ON	13 MM MOUNTED EURO SCREW - 0 MM	YB50-13EURO	500



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	FULL OVERLAY 110°	Y0406	250
YENZA HINGE CLICK-ON DOWEL	FULL OVERLAY 110°	Y0406N	250

FEATURES:

Door thickness up to 16 MM
 Cup depth 11.3 MM
 Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	HALF OVERLAY 110°	Y0403	250
YENZA HINGE CLICK-ON DOWEL	HALF OVERLAY 110°	Y0403N	250

FEATURES:

Door thickness up to 16 MM
 Cup depth 11.3 MM
 Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	INSET 110°	Y0401	250
YENZA HINGE CLICK-ON DOWEL	INSET 110°	Y0401N	250

FEATURES:


Door thickness up to 16 MM
 Cup depth 11.3 MM
 Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	INSET 45° CORNER	Y12T02	100
YENZA HINGE CLICK-ON DOWEL	INSET 45° CORNER	Y12T02N	100

FEATURES:

Door thickness up to 16 MM
 Cup depth 11.3 MM
 Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	INSET/BLIND CORNER HINGE	Y12T03	100
YENZA HINGE CLICK-ON DOWEL	INSET/BLIND CORNER HINGE	Y12T03N	100

FEATURES:


Door thickness up to 16 MM
 Cup depth 11.3 MM
 Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	BI-FOLD/PIE-CUT FULL HOLE	Y12T04	100
YENZA HINGE CLICK-ON DOWEL	BI-FOLD/PIE-CUT FULL HOLE	Y12T04N	100

FEATURES:


Door thickness up to 16 MM
 Cup depth 11.3 MM
 Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE CLICK-ON SCREW-IN	FULL OVERLAY 165°	Y2016	100
YENZA HINGE CLICK-ON DOWEL	FULL OVERLAY 165°	Y2016N	100

FEATURES:


Door thickness up to 16 MM
 Cup depth 11.3 MM
 Clip on with various plate options



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA M/PLATE CLICK-ON	SCREW FIX	C31H0 - 4HOLE	500



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA M/PLATE CLICK-ON	10 MM MOUNTED EURO SCREW	C02H0D-10	500
YENZA M/PLATE CLICK-ON	13 MM MOUNTED EURO SCREW	C02H0D-13	500



DESCRIPTION	APPLICATION	CODE	PACK SIZE
YENZA HINGE AND PLATE SLIDE-ON SCREW IN	FULL OVERLAY	Y2811.007	200 PREPACK
YENZA HINGE SLIDE-ON SCREW IN	FULL OVERLAY	2809.400	200
YENZA HINGE SLIDE-ON DOWEL	FULL OVERLAY	2809.400N	200
YENZA HINGE AND PLATE SLIDE-ON SCREW IN	HALF OVERLAY	2811.015	200 PREPACK
YENZA HINGE SLIDE-ON SCREW IN	HALF OVERLAY	2809.405	200
YENZA HINGE SLIDE-ON DOWEL	HALF OVERLAY	2809.405N	200
YENZA M/PLATE SLIDE-ON	4 HOLE SCREW-IN	2809.626	200
YENZA M/PLATE SLIDE-ON	2 HOLE MOUNTED EURO SCREW	2809.526	200

FEATURES: Pre-packed



DESCRIPTION	CODE	SIZE	PACK SIZE	FINISH
YENZA UNDERMOUNT FULL EXTENSION 35 KG	YUM3341 / 500	500 MM	10	ZINC

FEATURES:

Full extension slide
 35 KG weight capacity
 Soft-close
 2D adjustment
 Same box cut as Dynamoov / Dynapro
 50 000 cycle guarantee
 Soft-close tension adjustment



DESCRIPTION	CODE	SIZE	PACK SIZE	FINISH
YENZA SUPER STEEL DRAWER SLIDE	550-704-086X270W	86 x 270	10	WHITE
YENZA SUPER STEEL DRAWER SLIDE	550-704-086X350W	86 x 350	10	WHITE
YENZA SUPER STEEL DRAWER SLIDE	550-704-086X400W	86 x 400	10	WHITE
YENZA SUPER STEEL DRAWER SLIDE	550-704-086X450W	86 x 450	10	WHITE
YENZA SUPER STEEL DRAWER SLIDE	550-704-086X500W	86 x 500	10	WHITE
YENZA SUPER STEEL DRAWER SLIDE	550-704-086X550W	86 x 550	10	WHITE
YENZA SUPER STEEL DRAWER SLIDE	550-704-150X450W	150 x 450	10	WHITE
YENZA SUPER STEEL DRAWER SLIDE	550-704-150X500W	150 x 500	10	WHITE
MARKING JIG FOR DRAWER FRONTS	5501	-	1	BLACK

DESCRIPTION	CODE	PACK SIZE	FINISH
SOFT-CLOSE ADAPTER	4401.125	EACH	GREY
SOFT-CLOSE PIN FOR STEEL SIDE DRAWER	4401.159	EACH	WHITE
SOFT-CLOSE PIN FOR WOODEN DRAWER	4401.143	EACH	GREY

YENZA ACCESSORIES



DESCRIPTION	CODE	FINISH
GAS LIFT 80N SOFT-CLOSE WOOD	MZ3212	STEEL
GAS LIFT 100N SOFT-CLOSE WOOD	MZ3213	STEEL
GAS LIFT 120N ALU SOFT-CLOSE WOOD	MZ3214	STEEL
GAS LIFT 120N ALU	MZ3214ALU	STEEL
GAS LIFT 150N WOOD	MZ3215	STEEL
GAS LIFT ALU 80N	MZ6146	STEEL
GAS LIFT ALU 100N	MZ6147	STEEL



DESCRIPTION	CODE	SIZE	FINISH
CAMFIX METAL	T3201	20 Ø X 13 MM	NICKLE
CAMFIX PLASTIC	T3201B	20 Ø X 13 MM	BROWN
CAMFIX PLASTIC	T3201W	20 Ø X 13 MM	WHITE



DESCRIPTION	CODE	SIZE	FINISH
WEDGEFIX	T3241	20 Ø X 12 MM	WHITE
WEDGEFIX	T3241B	20 Ø X 12 MM	BROWN



DESCRIPTION	CODE	SIZE	FINISH
DOWEL 5 MM EURO	T3400	5 Ø X 11 MM	ZINC
DOWEL 5 MM EURO SHORT	T3410	5 Ø X 7.5 MM	ZINC



DESCRIPTION	CODE	SIZE	FINISH
DOWEL M4	T3470.009	M4 X 7.5 MM	ZINC



DESCRIPTION	CODE	SIZE	FINISH
SLEEVE	T3051	5 Ø X M4 X 15 MM	RAW



DESCRIPTION	CODE	SIZE	FINISH
CAM FITTING 15 MM	T3150	15 Ø X 15 MM	ZINC



DESCRIPTION	CODE	SIZE	FINISH
DOWELL FITTING WITH SLEEVE	CB2620	50 X 34 MM	STEEL



DESCRIPTION	CODE	SIZE	FINISH
QUICKFIT BOLT 8 X 34 MM EXPANDING DOWEL	T3491	8 Ø X 34 MM	ZINC



DESCRIPTION	CODE	SIZE	FINISH
EURO SCREW COUNTERSUNK	707.360.61.1015	6 MM X 10 MM	NICKLE
EURO SCREW COUNTERSUNK	707.360.61.3015	6 MM X 13 MM	NICKLE
EURO SCREW PAN HEAD	707.362.61.3015	6 MM X 13 MM	NICKLE
EURO SCREW COUNTERSUNK FOR GRASS PRODUCTS	F145083544599	6 MM X 11.5 MM	NICKLE



DESCRIPTION	CODE	SIZE	FINISH
CONNECTING SCREW 5 MM	499.040.27.0025	32 MM X 5 MM	NICKEL

Yenza.

RELIABLE PERFORMANCE. SMARTER VALUE.

www.grass-za.co.za

GRASS ZA (PTY) LTD.

2 Graph Avenue
Montague Gardens
Cape Town 7441,
South Africa

T +27 21 529 8040
F +27 21 529 8041
info@grass.co.za

Unit 6, Northlands Retail Park
Epsom Road, North Riding
Johannesburg 2169,
South Africa

T +27 11 801 9500

SCAN THE QR TO
FIND OUT MORE
ABOUT YENZA

